



**Specifications Philips LED Downlight  
Coreline DN140B 9.5W 1100lm 120D -  
840 Cool White | 162mm - IP54 - White  
Reflector**

[View Product](#)

## General Information

|                          |                                   |
|--------------------------|-----------------------------------|
| SKU                      | 234592                            |
| EAN                      | 8710163325972                     |
| Brand                    | Philips                           |
| Manufacturer Name        | DN140B LED10S/840 PSU WR IP54 PI6 |
| Any Lamp all-in warranty | 5 Years                           |
| Average Lifetime (h)     | 50000                             |

## Technical Information

|                             |                   |
|-----------------------------|-------------------|
| Emergency Lighting          | No Emergency Unit |
| Tilttable                   | No                |
| Technology                  | LED Integrated    |
| Replaces (Watt)             | 2x18              |
| Wattage                     | 9.5               |
| Voltage (V)                 | 220-240           |
| Dimmable                    | Not Dimmable      |
| Colour Code                 | 840 Cool White    |
| Colour temperature (Kelvin) | 4000 Cool White   |
| Colour Rendering (Ra)       | 80-89             |
| Colour of Light             | White             |
| Light colour options        | Single Color      |

|                          |                                    |
|--------------------------|------------------------------------|
| Driver Included          | Yes                                |
| Beam Angle (degree)      | 120                                |
| Luminous Flux (Lumen)    | 1100                               |
| Luminous Efficacy (lm/W) | 116                                |
| Power factor             | >0.95                              |
| Installation Depth (mm)  | 200                                |
| Unified Glare Rating     | < 25 - for hallways and staircases |
| Optical Cover            | PC (Polycarbonate)                 |
| Suitable for Outdoor     | Yes                                |
| Product Type Category    | LED Downlight                      |

## Fixture Information

|                       |                               |
|-----------------------|-------------------------------|
| EOC8                  | 32597200                      |
| Mounting Method       | Recessed                      |
| Cut out (mm)          | 150                           |
| IP-rating             | IP54                          |
| Operating Temperature | -20 to +40                    |
| Housing               | Aluminium                     |
| Colour of the Fixture | White                         |
| Colour of material    | White                         |
| Fixture Connection    | PI [Push-in connector 6-pole] |
| Series                | DN140B                        |

## Dimensions

|               |     |
|---------------|-----|
| Height (mm)   | 100 |
| Diameter (mm) | 162 |

## Sensor Information

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

